



Inspection Report

William Rogers Jr
1739 Dripping Springs Rd
Seymour, TN 37865

Customer ID: **39327**
Certificate: **63-A-0168**
Site: 001
ROGERS RABBITRY

Type: ROUTINE INSPECTION
Date: 12-NOV-2015

3.53(c)(2) REPEAT

PRIMARY ENCLOSURES.

Two adult nursing females weighing less than 4.4 lbs. which one female has a litter of 8 and the other has a litter of 7 young nursing rabbits are housed in an inadequate cage. The 2 cages measure 24 by 20 ins. which provide 3.33 sq ft of floor space. It is a requirement for a nursing female rabbit to have 4 sq. ft. of floor space. It is important to have adequate floor space in order for rabbits to make normal postural movements and to have adequate freedom of movement. A female rabbit with nursing young rabbits shall not be placed in a cage with less than 4 sq. ft. if the female rabbit weighs less than 4.4 lbs.

Exit briefing was conducted with owner.

Prepared By: KATHERINE WILEY, A C I USDA, APHIS, Animal Care

Date:
13-NOV-2015

Title: ANIMAL CARE INSPECTOR 6038

Received by Title: OWNER

Date:
12-NOV-2015



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
39327	63-A-0168	001	ROGERS RABBITRY	12-NOV-15

Count	Scientific Name	Common Name
000414	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
000414	Total	