



Inspection Report

Willow Wren Acres
1458 Petty Rd
Manchester, TN 37355

Customer ID: **6012879**
Certificate: **63-A-0197**
Site: 001
Stephanie Hicks

Type: ROUTINE INSPECTION
Date: 11-OCT-2022

3.125(a)

Facilities, general.

The outdoor portion of the sheltered housing for the two foxes is in need of repair. The foxes have dug the dirt up outside for an approximately 3 ft. long x 1 ft. wide section of the ground in front of the entrance to the shelter structure. There is a piece of fencing present placed on top of the ground to keep the foxes from escaping. The digging of dirt from underneath the fencing on the ground leaves a hole under the fencing material. If the foxes fall through/step into one of the openings of the fencing material they could injure themselves or get a limb caught in the material. The outdoor fox enclosure needs to be constructed and maintained to protect the animals from injury. Correct by 10/31/22.

This inspection and exit interview were conducted with the licensee.

Prepared By: SUSANNE BRUNKHORST
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL
OFFICER

Date:
11-OCT-2022

Received by Title: Licensee

Date:
11-OCT-2022



United States Department of Agriculture
Animal and Plant Health Inspection Service

Customer: 6012879
Inspection Date: 11-Oct-2022

Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
6012879	63-A-0197	001	Stephanie Hicks	11-OCT-2022

Count	Scientific Name	Common Name
000002	<i>Vulpes vulpes</i>	RED FOX (INCLUDES SILVER FOX & CROSS FOX)
000002	Total	