



Inspection Report

Annette Eccles
Po Box 48
Mc Neill, MS 39457

Customer ID: **331025**
Certificate: **65-A-0535**
Site: 001
ANNETTE ECCLES

Type: ROUTINE INSPECTION
Date: 25-MAR-2015

2.40(b)(2)

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

** One bottle of Albon stored in the medicine refrigerator in the whelping building was expired 01-01-15. The use of expired medicine is not considered adequate methods to prevent, control and treat diseases and injuries. The licensee must remove all expired medicines to contribute to the health and well-being of the animals. All dealers must use appropriate methods to prevent, control, diagnose, and treat diseases and injuries. To be corrected by: 03-26-15.

2.75(a)(1)(6)

RECORDS: DEALERS AND EXHIBITORS.

** The Record of Disposition of Dogs and Cats form #7006 are not filled out correctly. Nineteen of the forms did not list an identification number for the dogs sold. The owner must issue and list an individual identification number for each dog listed on the forms. All dogs must have an individual identification number not to be repeated within a five year period, to allow the proper tracking and identification of animals by the USDA. All dealers must keep accurate records of the disposition of regulated animals. To be corrected by: 03-26-15.

2.75(a)(1)

RECORDS: DEALERS AND EXHIBITORS.

** The Dogs on Hand form #7005 listed fifty adult breeding dogs at the facility, the physical count of adult breeding dogs was forty-one. The licensee must update the Dogs on Hand form #7005 to accurately reflect the number of animals at the facility to allow the proper tracking of animals by the USDA. All dealers must keep accurate records of all regulated animals. To be corrected by: 04-01-15.

3.1(c)(1)(1)

HOUSING FACILITIES, GENERAL.

** Ten metal support bars on the bottom of the chain link enclosures had excessive rust. The metal was pitted, flaking and rusted through the surface. The rusted surfaces does not allow for proper cleaning and sanitizing which could harbor disease and health hazards. The surfaces that are rusted through could compromise the structural

Prepared By: JOHN LIES, A C I USDA, APHIS, Animal Care

Date:
26-MAR-2015

Title: ANIMAL CARE INSPECTOR 4041

Received by Title: OWNER

Date:
26-MAR-2015



Inspection Report

strength of the enclosure. The licensee must repair/replace the rusted surfaces to allow for proper cleaning and sanitizing and to ensure that the enclosures are structurally sound. All surfaces in contact with the animals must be free of excessive rust. To be corrected by: 07-25-15.

3.1(c)(2)

HOUSING FACILITIES, GENERAL.

** Five plastic dog houses had excessively chewed surfaces around the entrance of the shelters. The plastic surfaces were rough and pitted. The rough pitted surfaces does not allow for proper cleaning and sanitizing which could harbor disease and health hazards. The licensee must repair/replace the chewed surfaces to allow for proper cleaning and sanitizing. All surfaces must be maintained and repaired or replaced when worn or soiled. To be corrected by: 04-08-15.

This inspection and exit briefing was conducted with the owner.

End of report.

Prepared By: JOHN LIES, A C I USDA, APHIS, Animal Care

Date:
26-MAR-2015

Title: ANIMAL CARE INSPECTOR 4041

Received by Title: OWNER

Date:
26-MAR-2015



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
331025	65-A-0535	001	ANNETTE ECCLES	25-MAR-15

Count	Scientific Name	Common Name
000041	<i>Canis lupus familiaris</i>	DOG ADULT
000005	<i>Canis lupus familiaris</i>	DOG PUPPY
000046	Total	