



Inspection Report

Jean Hoban
1555 Co Rd 2641
Lamar, AR 72846

Customer ID: **6703**
Certificate: **71-A-0640**
Site: 001
Jean Hoban

Type: ROUTINE INSPECTION
Date: 07-JUL-2015

2.40(b) REPEAT

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

In the block / nursery building a adult male Pug needs to be reevaluated by the attending veterinarian. The adult Pug previously identified as Chester, chip # 0A01554327 ,is registered as Winchester. The animal was purchased on April 5, 2014. During the previous inspection dated May 8, 2014 the animal was identified to be evaluated by the attending veterinarian. The animal had goopy matter on its left eye and it was red on the white area. The dealer's records reflect she had the animal evaluated and treated on May 12, 2014. During this inspection the animal had matter stuck to the surface of it's same eye. The dealer did not have any written documentation of the animal receiving any further treatment then the initial vet evaluation. The animal needs to be reevaluated by the attending veterinarian. The dealer must maintain written documentation of the evaluation and all treatment to protect the health and welfare of the animal.

Affects one adult.

3.6(a)(1) REPEAT

PRIMARY ENCLOSURES.

During the last inspection on the block building's eastern and western exterior sides there were twenty-four rusted enclosure metal divider panels. On the interior of the same building there were twenty-four rusted metal gates. During this inspection the dealer stated they had painted all enclosure panels and forty-eight gates. However during this inspection ten of the same enclosure divider panels, despite prior painting, have chipped rusted surfaces which need to be repaired or replaced and maintained to insure their structural soundness, facilitate housekeeping practices, protect the animals from injury and prevent the spread of disease.

Affects twenty-one adults

Prepared By: SANDRA MEEK, A C I USDA, APHIS, Animal Care

Date:
08-JUL-2015

Title: ANIMAL CARE INSPECTOR 4040

Received by Title: EMAIL

Date:
08-JUL-2015



Inspection Report

During this inspection on the western side of the block building there was a divider panel of two primary enclosures which had become disconnected at the bottom and moved when the animals came into contact with it. The divider panel needs to be repaired or replaced to insure it is secured in place to contain the animals securely and protect them from injury.

Affects one adult

The inspection and exit briefing was conducted with the facility representatives.

Additional Inspectors

Cooper Natalie, Veterinary Medical Officer

Prepared By: SANDRA MEEK, A C I USDA, APHIS, Animal Care

Date:
08-JUL-2015

Title: ANIMAL CARE INSPECTOR 4040

Received by Title: EMAIL

Date:
08-JUL-2015



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
6703	71-A-0640	001	Jean Hoban	07-JUL-15

Count	Scientific Name	Common Name
000156	<i>Canis lupus familiaris</i>	DOG ADULT
000069	<i>Canis lupus familiaris</i>	DOG PUPPY
000225	Total	