



Inspection Report

James Alexander
Marilyn Alexander
3401 Sr Hwy 27
Dover, AR 72837

Customer ID: **14282**
Certificate: **71-A-0871**
Site: 001
MARILYN & JAMES ALEXANDER

Type: ROUTINE INSPECTION
Date: 21-SEP-2016

3.1

HOUSING FACILITIES, GENERAL.

Sec. 3.1 Housing facilities, general.

At time of inspection one outside dog house housing two dogs had a hole in the top of the roof. This means the house is not in good repair. The licensee must ensure that all surfaces are kept in good repair and protect the animals from injury at all times. To be corrected by 10-10-16.

3.11

CLEANING, SANITIZATION, HOUSEKEEPING, AND PEST CONTROL.

Sec. 3.11 Cleaning, sanitization, housekeeping, and pest control.

At time of inspection all fifteen outside dog houses housing twenty four adult dogs and feeding receptacles were dirty with dirt and grime. Cleaning and sanitization of surfaces that are in contact with dogs is necessary to prevent an accumulation of dirt, debris, food waste, excreta and other disease hazards. Unsanitary living conditions and potential transmission of diseases exists when surfaces are not cleaned and sanitized. The licensee must ensure that all surfaces are cleaned and sanitized at least once every two weeks or more often if needed. To be corrected by 10-10-16.

This exit interview was conducted by Cathy Niebruegge, ACI and facility representative.

Prepared By: CATHY NIEBRUEGGE, A C I USDA, APHIS, Animal Care

Date:
27-SEP-2016

Title: ANIMAL CARE INSPECTOR 4031

Received by Title: FACILITY REPRESENTATIVE

Date:
27-SEP-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
14282	71-A-0871	001	MARILYN & JAMES ALEXANDER	21-SEP-16

Count	Scientific Name	Common Name
000051	<i>Canis lupus familiaris</i>	DOMESTIC DOG
000051	Total	