



Inspection Report

Gerald Watts
291 Ponderosa Lane
Marshall, AR 72650

Customer ID: 5715
Certificate: 71-A-1095
Site: 001
GERALD WATTS

Type: ROUTINE INSPECTION
Date: 12-NOV-2014

2.40(b)

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

The kennel facility consists of one indoor housing building. In the building there are two adults which need to be evaluated by the attending veterinarian. One animal is a five year old white female French Bulldog, chip # 037529631. Both of the animal's eyes are a cloudy blue. The dealer stated the animal had always had blue eyes but he had not noticed they had turned cloudy. The other animal is a three year old white female American Bulldog, chip # 0A01253116. The animal is thin to the point of spine, ribs and hip bones protruding. The animal also has sores on both hips approximately 1 to 1-1/2 inches in diameter. The dealer stated he had applied ointment to the sores. The dealer did not have any documentation of either animal being evaluated or receiving treatment. The animals must be evaluated by the attending veterinarian. The dealer must maintain written documentation of the evaluation and all treatment to protect the health and welfare of the animals.

Affects two adult.

Correct by November 17, 2014

3.11(b)(2)

CLEANING, SANITIZATION, HOUSEKEEPING, AND PEST CONTROL.

In the indoor kennel building there are seven red self feeders which have dirt, hair and dark matter on their interior surfaces. Food receptacles for dogs must be cleaned and sanitized at least once every 2 weeks and more often if necessary to prevent an accumulation of dirt, debris, food waste, excreta, and other disease hazards to prevent food contamination and to protect the health and welfare of the contained animals.

Affects seven adults.

Correct by November 16, 2014

3.11(c)

CLEANING, SANITIZATION, HOUSEKEEPING, AND PEST CONTROL.

Through-out the kennel building there is an accumulation of spider webs, dead insects, and hair around the windows, on the walls, hanging from the overhead heating outlets and on the ceiling. There are fly specks on multiple surfaces such as the pvc automatic watering pipes and the overhead light sockets. The dealer stated the building had last been cleaned approximately a month earlier. The building needs to be cleaned and maintained to

Prepared By: SANDRA MEEK, A C I USDA, APHIS, Animal Care

Date:
13-NOV-2014

Title: ANIMAL CARE INSPECTOR 4040

Received by Title: 7011 2970 0000 3701 6042

Date:
13-NOV-2014



Inspection Report

prevent contamination of food receptacles, facilitate husbandry practices and prevent the spread of disease. Premises where housing facilities are located, including buildings and surrounding grounds, must be kept clean and in good repair to protect the health and welfare of the animals.

Affects twenty-eight adults and nineteen puppies.

Correct by November 20, 2014

The inspection and exit briefing was conducted with the facility representative.

Prepared By: SANDRA MEEK, A C I USDA, APHIS, Animal Care

Date:
13-NOV-2014

Title: ANIMAL CARE INSPECTOR 4040

Received by Title: 7011 2970 0000 3701 6042

Date:
13-NOV-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
5715	71-A-1095	001	GERALD WATTS	12-NOV-14

Count	Scientific Name	Common Name
000028	<i>Canis lupus familiaris</i>	DOG ADULT
000019	<i>Canis lupus familiaris</i>	DOG PUPPY
000047	Total	