



## Inspection Report

Fred D Whitelaw  
270 Cottonwood Lane  
Marshall, AR 72650

Customer ID: **7381**  
Certificate: **71-A-1283**  
Site: 001  
FRED WHITE LAW

Type: ROUTINE INSPECTION  
Date: 23-JUL-2014

### 2.40(b)

#### ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

The dealer recently acquired a seven month old female Poodle, chip # 0A0217001. The animal needs to be evaluated by the attending veterinarian. The animal was observed keeping its back legs tucked under and not fully extending them. The dealer stated the animal had this condition when it was purchased and had not been evaluated by the attending veterinarian. The animal must be evaluated and the dealer must maintain written documentation of the evaluation and all treatment.

Affects one adult Correct by August 6, 2014

### 3.2

#### INDOOR HOUSING FACILITIES.

During the inspection the whelping room of the kennel facility was dark upon entry. The room had multiple overhead lights but they were not operational. In the house portions of the enclosures a heat type light had to be moved from enclosure to enclosure in order to see the puppies. The dealer must provide additional lighting for the animals. Indoor housing facilities for dogs must be lighted well enough to permit routine inspections and cleaning of the facility, and observation of the dogs to protect their health and welfare.

Affects twenty-six adults and forty-two puppies. Correct by August 23, 2014

### 3.6(a)(2)(1)

#### PRIMARY ENCLOSURES.

The kennel facility consists of one indoor housing building and two sheltered buildings. On the exterior portion of the sheltered building enclosures there are metal doors which the animals enter and exit the building within their enclosures. On the western exterior side of building E there are eight metal doors which have worn / chewed / sharp edges which could injure the animals. Primary enclosures must be constructed and maintained so that they do not have sharp points or edges that could injure the dogs. The dealer must repair or replace the doors to protect the animals from injury.

Prepared By: SANDRA MEEK, A C I USDA, APHIS, Animal Care

Date:  
23-JUL-2014

Title: ANIMAL CARE INSPECTOR 4040

Received by Title: DEALER

Date:  
23-JUL-2014



## Inspection Report

---

Affects twelve adults.

Correct by August 6, 2014

### 3.11(a)

#### **CLEANING, SANITIZATION, HOUSEKEEPING, AND PEST CONTROL.**

The kennel facility consists of one indoor housing area and two sheltered buildings. On the exterior western side of building D there are a total of sixteen outdoor enclosure portions. The floor surface for the exterior enclosure portions is concrete. Most of the enclosures contained multiple dogs. During the inspection there was more than one days accumulation of waste material in the enclosures. During the inspection the animals were observed trying to avoid contact with the excrete. Excreta must be removed from primary enclosures daily or as often as necessary to prevent an excessive accumulation of feces, to prevent soiling of the dogs contained in the primary enclosures, and to reduce disease hazards, insects, pests and odors.

Affects thirty-six adults

Correct by July 24, 2014

The inspection and exit briefing was conducted with the dealers.

---

**Prepared By:** SANDRA MEEK, A C I USDA, APHIS, Animal Care

**Date:**  
23-JUL-2014

**Title:** ANIMAL CARE INSPECTOR 4040

**Received by Title:** DEALER

**Date:**  
23-JUL-2014



## Species Inspected

| Cust No | Cert No   | Site | Site Name     | Inspection |
|---------|-----------|------|---------------|------------|
| 7381    | 71-A-1283 | 001  | FRED WHITELAW | 23-JUL-14  |

| Count         | Scientific Name               | Common Name |
|---------------|-------------------------------|-------------|
| 000226        | <i>Canis lupus familiaris</i> | DOG ADULT   |
| 000042        | <i>Canis lupus familiaris</i> | DOG PUPPY   |
| <b>000268</b> | <b>Total</b>                  |             |