



Inspection Report

Amy Holtkamp
2667 C R 906
Green Forest, AR 72638

Customer ID: **38010**
Certificate: **71-A-1338**
Site: 001
AMY HOLTkamp

Type: ROUTINE INSPECTION
Date: 16-MAR-2015

3.1(f)

HOUSING FACILITIES, GENERAL.

In the kennel facility there is one occupied outdoor primary enclosure. This enclosure contains two adult dogs. The outdoor enclosure floor surface has several puddles of muddle water. Housing facilities must be equipped with disposal facilities and drainage systems that are constructed and operated so that animal waste and water are rapidly eliminated and animals stay dry. Standing puddles of water in animal enclosures must be drained or mopped up so that the animals stay dry to protect their health and welfare.

Affects two adults. Correct by March 30, 2015

3.4(b)(3)

OUTDOOR HOUSING FACILITIES.

In the kennel facility there is one outdoor occupied housing area. This enclosure contains two adult dogs. There is one shelter for both animals. The shelter structure does not contain a wind break at it's entrance. A wind break is required to allow the animals to stay clean and dry.

Affects two adults. Correct by March 30, 2015

3.6(a)(2)(10)

PRIMARY ENCLOSURES.

The kennel facility consists of two sheltered buildings and one occupied outdoor housing area. In the second smaller sheltered building there is one enclosure which contained one adult and six puppies. During the inspection the puppies were observed with their feet falling through the raised wire enclosure flooring material. Primary enclosures must be designed and constructed of suitable materials so that they are structurally sound. The primary enclosures must be kept in good repair. Primary enclosures must be constructed and maintained so that they have floors that are constructed in a manner that protects the dogs' feet and legs from injury. If the flooring is of mesh or slatted construction, it does not allow the dogs feet to pass through in order to protect them from injury.

Affects six puppies Correct by March 19, 2014

Prepared By: SANDRA MEEK, A C I USDA, APHIS, Animal Care

Date:
16-MAR-2015

Title: ANIMAL CARE INSPECTOR 4040

Received by Title: E-MAIL

Date:
16-MAR-2015



Inspection Report

The inspection and exit briefing was conducted with the facility Representatives.

Prepared By: SANDRA MEEK, A C I USDA, APHIS, Animal Care

Date:
16-MAR-2015

Title: ANIMAL CARE INSPECTOR 4040

Received by Title: E-MAIL

Date:
16-MAR-2015



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
38010	71-A-1338	001	AMY HOLTKAMP	16-MAR-15

Count	Scientific Name	Common Name
000046	<i>Canis lupus familiaris</i>	DOG ADULT
000017	<i>Canis lupus familiaris</i>	DOG PUPPY
000063	Total	