



Inspection Report

Frank Foster
521 Madison 7610
HINDSVILLE, AR 72738

Customer ID: **9613**
Certificate: **71-A-1408**
Site: 001
FRANK FOSTER

Type: ROUTINE INSPECTION
Date: 27-OCT-2022

3.2(b)

Indoor housing facilities.

There was inadequate ventilation in the whelping building. The whelping building is a converted reefer trailer with a door on one end and a small window and air conditioner unit on the other end that was unplugged. Upon entering, there was an ammonia odor that got stronger as the inspectors progressed towards the back of the trailer. Both inspectors had burning eyes and one inspector's eyes began to water by the time we got to the end of the trailer. Strong ammonia levels can lead to respiratory issues and burning and sensitivity in the eyes. Indoor housing facilities must be sufficiently ventilated at all times to minimize odors and ammonia levels to provide for the health and well-being of the animals. Correct by 11/4/22 by properly ventilating the kennel building at all times.

3.6(a)(2)(i)

Primary enclosures.

There were multiple broken wires and sharp points protruding into several kennels containing dogs. Seven enclosures containing 11 dogs had broken wire flooring or wire ties pointed into the enclosures that the dogs could step on or brush up against. Two kennels containing 2 dogs had solid aluminum sheeting between 2 adjacent enclosures that had been bitten, chewed, and pulled up, creating sharp edges. Three kennels containing 4 dogs had metal feeders with wire hooks protruding into the enclosure, right at eye level next to the food. One of the feeder hooks had a large clump of fur stuck to

Prepared By: COURTNEY JERNIGAN
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL
OFFICER

Date:
27-OCT-2022

Received by Title: Licensee

Date:
27-OCT-2022



Inspection Report

it. Sharp points could scratch or cut the skin, feet, or eyes of dogs in the enclosures. Primary enclosures must be constructed and maintained so that they have no sharp points or edges that could injure the dogs. Correct by 10/30/22 by ensuring that no primary enclosures contain sharp points.

3.6(a)(2)(ii)

Primary enclosures.

In the whelping building, 3 separate primary enclosures containing 4 dogs had broken flooring, creating holes large enough for feet to fall through or become entrapped. The holes ranged from 2" x 2" to 2" x 3". Wire flooring in disrepair can cause injury if dogs' feet fall through. Primary enclosures must be constructed and maintained so that they protect the dogs from injury. Correct by 10/30/22 by repairing the holes in the wire flooring.

3.8(a)

Exercise for dogs.

In the whelping building, one dog, a dachshund named Black Satin did not have adequate space to exercise. The facility's exercise plan is to group house dogs or provide individually housed dogs with twice the minimum required floor space. Black Satin was 20" long, requiring a minimum of 676 square inches of floor space with additional opportunity for exercise or doubled (1352 square inches of floor space) for exercise. Black Satin's primary enclosure was 36" x 36", providing 1296 square inches, falling short of the exercise requirement. Dogs must be provided with adequate exercise to promote physical health and mental well-being. Dogs that are housed individually, must be provided twice the minimum space requirement per the exercise plan. Correct by 10/28/22 by ensuring adequate space for exercise.

3.11(b)(2)

Cleaning, sanitization, housekeeping, and pest control.

The licensee is not sanitizing primary enclosures in the whelping building at acceptable intervals. The licensee stated that she sanitizes the enclosures before she moves a new dog into a used enclosure, which occurs when puppies are weaned

Prepared By: COURTNEY JERNIGAN

USDA, APHIS, Animal Care

Date:
27-OCT-2022

Title: VETERINARY MEDICAL
OFFICER

Received by Title: Licensee

Date:
27-OCT-2022



Inspection Report

and new dogs are brought in before they whelp. She spot cleans daily but is not sanitizing at least every 2 weeks. When enclosures are not sanitized, dirt, debris, and disease causing organisms can flourish and cause illness. Primary enclosures must be sanitized at least once every 2 weeks using an appropriate method per the regulations, or more often as necessary. Correct by sanitizing enclosures at appropriate intervals from this day forward.

3.13(a)(3)

Veterinary care for dogs.

The program of veterinary care did not list a sampling frequency for heartworms and no medical record existed to demonstrate that heartworm testing is occurring. Testing is necessary to detect infections of heartworm, which is a deadly and contagious disease. The program of veterinary care must direct and accurately reflect the prevention, diagnosis, and treatment of diseases common in kennels, including rabies, parvo, distemper, fleas, intestinal worms, coccidia, giardia, and heartworm. Correct by 11/30/22 by ensuring sampling and treatment protocols are written and approved by the attending veterinarian in the program of vet care.

3.13(b)

Veterinary care for dogs.

There were no medical records available to document the annual exam by the veterinarian. The attending veterinarian performed his annual visit several months ago and provided a list of dogs needing dentals. No other record exists to document the findings of the exams. Medicals records are important to track health history of dogs over time and ensure complete and thorough treatment of medical conditions. Correct by maintaining medical records of all veterinary encounters from this day forward.

This inspection and exit interview were conducted with the licensee.

Prepared By: COURTNEY JERNIGAN
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL
OFFICER

Date:
27-OCT-2022

Received by Title: Licensee

Date:
27-OCT-2022



Inspection Report

Additional Inspectors:

Brianna Waldrop, VETERINARY MEDICAL OFFICER

Prepared By: COURTNEY JERNIGAN
USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL
OFFICER

Date:
27-OCT-2022

Received by Title: Licensee

Date:
27-OCT-2022



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
9613	71-A-1408	001	FRANK FOSTER	27-OCT-2022

Count	Scientific Name	Common Name
000059	<i>Canis lupus familiaris</i>	DOG ADULT
000008	<i>Canis lupus familiaris</i>	DOG PUPPY
000067	Total	