



Inspection Report

Pel-Freez, LLC
205 North Arkansas St
Rogers, AR 72756

Customer ID: **7213**
Certificate: **71-B-0140**
Site: 008
Pel-Freeze Cave Mountain

Type: ROUTINE INSPECTION
Date: 12-JUL-2023

3.53(a)(1)

Primary enclosures.

Primary enclosures are not being maintained to protect the rabbits from injury or escape. There were approximately 35 enclosures with sharp, broken wires protruding into the enclosure or metal feeders that had rusted and jagged edges. Additionally, there was a single female rabbit that was covered in dirt with muddy feet. Upon questioning, she was identified as having escaped her enclosure overnight and was returned to her enclosure that morning. Sharp and jagged edges can cause injury and rabbits can become injured or die if they escape. Primary enclosures must be structurally sound and maintained in good repair to protect the rabbits from injury, to contain them, and to keep predators out. Correct by 8/2/23

This inspection and exit interview were conducted with a facility representative.

Additional Inspectors:

Kem Singletary, VETERINARY MEDICAL OFFICER

Prepared By: COURTNEY JERNIGAN
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL OFFICER

Date:
12-JUL-2023

Received by Title: Facility Representative

Date:
12-JUL-2023



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
7213	71-B-0140	008	Pel-Freeze Cave Mountain	12-JUL-2023

Count	Scientific Name	Common Name
000701	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
000701	Total	