



Inspection Report

Acadiana Animal Aid
142 Le Medicin Road
Carencro, LA 70520

Customer ID: **505238**
Certificate: **72-B-0144**
Site: 001
ACADIANA ANIMAL AID

Type: ROUTINE INSPECTION
Date: 10-DEC-2019

2.40(b)(2)

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

In the drug lockbox there were two bottles of expired medication that were scheduled to be used and there were other expired drugs that were being used for treatment that were found in the pharmacy. Expired drugs may not be as effective for the proper use and treatment of this animal and delay healing. The expired drugs need to be removed. The facility needs to review the procedure for monitoring the expiration of drugs.

Correction Date: December 26, 2019

3.1(c)(2)

HOUSING FACILITIES, GENERAL.

In the cat cottage that housed 21 cats, the scratching posts were frayed in many areas. Fixtures in the enclosures should be removed or replaced when worn in order to protect animals from injury. The potential exists for cats to ingest the frayed pieces of rope which could cause potential health issues. A system of timely identification, facility repair, and maintenance must be in place.

Correction Date: December 26, 2019

3.6(b)(1)(ii)(A)

PRIMARY ENCLOSURES.

At the time of inspection, one cat was being housed in a primary enclosure that measured at 16.5 inches in height. Cats being housed in enclosures that are less than 24 inches of height could lead to possible safety issues for the cat. All cats (including weaned kittens) must be housed in an enclosure that measures at least 24 inches in height. Adequate cage height will allow the cats freedom of movement to make normal postural adjustments affecting the health and well-being of the cats.

Corrected by: at time of inspection

Prepared By: TOMLINSON SIMONE, D V M USDA, APHIS, Animal Care

Date:
12-DEC-2019

Title: VETERINARY MEDICAL OFFICER 6087

Received by Title: VIA EMAIL

Date:
12-DEC-2019



Inspection Report

3.6(b)(4)

PRIMARY ENCLOSURES.

Multiple cat cages did not have an elevated resting surface. The use of elevated resting surfaces satisfies a behavioral preference for many cats. The licensee must ensure that each primary enclosure housing cats contains a resting surface or surfaces that, in the aggregate, are large enough to hold all the occupants of the primary enclosure at the same time comfortably. The resting surfaces must be elevated, impervious to moisture, and be able to be easily cleaned and sanitized, or easily replaced when soiled or worn.

Correction Date: April 12, 2020

This inspection and exit interview were conducted with the facility manager.

Additional Inspectors

Sismour Naomi, Veterinary Medical Officer

Prepared By: TOMLINSON SIMONE, D V M USDA, APHIS, Animal Care

Date:
12-DEC-2019

Title: VETERINARY MEDICAL OFFICER 6087

Received by Title: VIA EMAIL

Date:
12-DEC-2019



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
505238	72-B-0144	001	ACADIANA ANIMAL AID	10-DEC-19

Count	Scientific Name	Common Name
000054	<i>Canis lupus familiaris</i>	DOG ADULT
000063	<i>Felis silvestris catus</i>	CAT ADULT
000117	Total	