



Inspection Report

Robert Blan
P O Box 642
Antlers, OK 74523

Customer ID: **35979**
Certificate: **73-A-2369**
Site: 001
ROBERT BLAN

Type: ROUTINE INSPECTION
Date: 24-APR-2014

2.40(b)(2) DIRECT

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

There is an adult Boston Terrier female name Missy microchip # 026-083-543 black and white in color. This dog has an excessive accumulation of a brownish color substance along the premolar teeth with some swelling of the gums around the incisors and canine teeth. There is a yellow color adult female Chihuahua name Gunters Jewel microchip # 060-796-030 that has three canine teeth missing, a brownish color substance on the premolar teeth, and gum swollen above the one remaining canine tooth. Dental problems can be painful and lead to a decrease in appetite. Dental problems can also cause infection in the mouth as well as potential spread of infection to other organs in the body. The licensee must have these animals examined by a veterinarian to obtain an accurate diagnosis and appropriate treatment plan. The outcome of this consultation must be documented and provided to the inspector upon request. The licensee must ensure that all animals receive adequate veterinary care at all times. This needs to be corrected by May 5, 2014

3.1(c)(1)(1)

HOUSING FACILITIES, GENERAL.

In the first Bloodhound enclosure the bottom portion of the metal house is beginning to rust. Rust can affect the structural strength of the enclosure and prevent the proper cleaning and sanitization of the building. Rust can also erode and deteriorate metal surfaces. Sharp edges could potentially injure the dogs. The licensee must ensure that all surfaces in contact with the dogs are free of rust.

To be corrected by May 5, 2014.

3.1(c)(1)(2)

HOUSING FACILITIES, GENERAL.

In the second Bloodhound enclosure with one dogs the bottom portion of the metal house is open from digging this exposes the tin which is lower than the building and this exposes a sharp edge of the tin.

Sharp edges could potentially injure the dogs. The licensee must ensure that all surfaces in contact with the dogs are free of sharp edges.

To be corrected by May 5, 2014.

Prepared By: JERRY WEST, A C I USDA, APHIS, Animal Care

Date:
28-APR-2014

Title: ANIMAL CARE INSPECTOR 4056

Received by Title: SENT BY EMAIL

Date:
29-APR-2014



Inspection Report

3.3(e)(1)(3)

SHELTERED HOUSING FACILITIES.

One bare wood chewed divider is not considered to be impervious to moisture. Four dogs are in contact with the affected divider that is located in sheltered housing. Bare wood surfaces cannot be readily cleaned and sanitized. It could create a potential disease or health risk for the dogs. The licensee must ensure that all wood surfaces in contact with the dogs must be impervious to moisture. To be corrected by May 5, 2014.

An exit briefing was conducted with the licensee.

Additional Inspectors

Niebruegge Cathy, Animal Care Inspector

Prepared By: JERRY WEST, A C I USDA, APHIS, Animal Care

Date:
28-APR-2014

Title: ANIMAL CARE INSPECTOR 4056

Received by Title: SENT BY EMAIL

Date:
29-APR-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
35979	73-A-2369	001	ROBERT BLAN	24-APR-14

Count	Scientific Name	Common Name
000046	<i>Canis lupus familiaris</i>	DOG ADULT
000005	<i>Canis lupus familiaris</i>	DOG PUPPY
000051	Total	