



Inspection Report

TAMARA BLACKOAK SKINNER
50773 S 36760 RD
CLEVELAND, OK 74020

Customer ID: **330756**
Certificate: **73-A-2692**
Site: 001
TAMARA BLACKOAK SKINNER

Type: ROUTINE INSPECTION
Date: 28-MAR-2022

3.10(a) Direct

Watering

None of the dogs in the kennel had access to potable water. The majority of animals had no water at all, and the remainder had water that was contaminated with straw and other debris. Multiple dogs drank enthusiastically as the water pails were filled, with several drinking longer than 30 seconds without pause. Lack of water can have a severe, negative impact on the health and welfare of animals, particularly in warm and/or humid weather. All dogs must have continuous access to potable water, unless restricted by the attending veterinarian for medical reasons.

Corrected at the time of inspection

This inspection and exit interview were conducted with licensee.

Prepared By: MICHAEL TYGART
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL
OFFICER

Date:
28-MAR-2022

Received by Title: Licensee

Date:
28-MAR-2022



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
330756	73-A-2692	001	TAMARA BLACKOAK SKINNER	28-MAR-2022

Count	Scientific Name	Common Name
000033	<i>Canis lupus familiaris</i>	DOG ADULT
000012	<i>Canis lupus familiaris</i>	DOG PUPPY
000045	Total	