



Inspection Report

Carl Michael Winters
Lori Ann Winters
20867 East County Rd 153
Blair, OK 73526

Customer ID: **324050**
Certificate: **73-A-2700**
Site: 001
Carl Winters & Lori Winters

Type: ROUTINE INSPECTION
Date: 10-AUG-2016

2.40(b)(2)

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

- In an outdoor enclosure there was a year old, male Boston Terrier named "Brutus" that had a moist looking, reddish 1/2" prolapsed growth of tissue protruding from the lower medial corner of the left eye and a 1/4" red, moist prolapsed growth of tissue protruding from the lower medial corner of the right eye. This could be caused by infection, allergies, injury, irritation or other medical conditions that could be painful. The licensee had noticed the red masses in each eye approximately four months ago and this animal had not yet been seen by a veterinarian for an evaluation. The animal's vision did not appear to be affected at the time of the inspection. This animal must be examined by a licensed veterinarian and appropriate treatment administered. Documentation (health records) should be available on all medical problems and made available to the inspector. The diagnosis and any recommended treatment must be part of the documentation. The licensee must ensure that all animals receive adequate veterinary care at all times.

To be corrected by: 8/13/16.

3.3(a)

SHELTERED HOUSING FACILITIES.

- In the sheltered housing portion of the facility containing four dogs, there was not any working air conditioning inside the building. The licensee stated that two separate air conditioners were installed in the spring and neither one worked so the dogs had been without cool air inside the building all summer long. The ambient temperature outside was 97 degrees. The dogs did not appear to be overheated and had adequate shade and water. The doors on each end of the building had been propped open creating a nice breeze inside the building. Allowing the ambient temperature in a sheltered housing facility to exceed 85 degrees F for more than four hours at a time can result in heat related stress and illness in the dogs. The licensee must ensure that the ambient temperature must not rise above 85 degrees F for more than 4 consecutive hours when dogs are present in the building.

To be corrected by: 8/17/16.

Prepared By: BRITTANY LIGHT, A C I USDA, APHIS, Animal Care

Date:
11-AUG-2016

Title: ANIMAL CARE INSPECTOR 6075

Received by Title: OWNER-SENT VIA EMAIL

Date:
11-AUG-2016



Inspection Report

3.10

WATERING.

- There were six water receptacles that had an algae looking substance in them. The receptacles are located in outdoor enclosures with shade structures. There are 12 dogs drinking from the receptacles. The licensee stated that they were cleaned every two weeks. Contaminated water is no longer considered to be safe for the dog to drink and could lead to potential health risks. It indicates that a lack of cleaning and sanitation is occurring often enough to prevent the water from becoming contaminated. The licensee must ensure all water receptacles are cleaned and sanitized once every two weeks or more often if needed for the health and well-being of the dogs.

To be corrected by: 8/12/16.

The inspection and exit interview was conducted with Brittany Light, ACI and the facility representative.

Prepared By: BRITTANY LIGHT, A C I USDA, APHIS, Animal Care

Date:
11-AUG-2016

Title: ANIMAL CARE INSPECTOR 6075

Received by Title: OWNER-SENT VIA EMAIL

Date:
11-AUG-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
324050	73-A-2700	001	Carl Winters & Lori Winters	10-AUG-16

Count	Scientific Name	Common Name
000012	<i>Canis lupus familiaris</i>	DOG ADULT
000003	<i>Canis lupus familiaris</i>	DOG PUPPY
000015	Total	