Inspection Report

Lesli Mecom

40646 E CR 1230
Unit E
Keota, OK 74941

Customer ID: **503578**
Certificate: **73-A-2836**
Site: 002
Lesli Mecom

Type: ROUTINE INSPECTION
Date: 12-AUG-2026

2.40(b)(2) **Direct**

Attending veterinarian and adequate veterinary care (dealers and exhibitors).

A six-year-old male Yorkshire Terrier (603-891-084) “Prince Parti” had a left foot open lesion. The lesion was weeping, reddened, and appeared irritated. The hair around the lesion was darkened and wet. The licensee was aware of the lesion and was putting “nustock” on the wound. The licensee doesn’t have a protocol for treating lesions in their Program of Vet Care (PVC) nor has the licensee contacted their attending veterinarian (AV). Facilities must have direct and frequent communication with their veterinarian. The licensee must correct by contacting their veterinarian.

A female Yorkshire Terrier (605-797-068) has a three-inch-long laceration on her right hip. The licensee stated they contacted their AV by text message on August 9, 2026, but didn’t receive a reply. The licensee didn’t contact or speak with any other veterinarian. The licensee stated they sutured the laceration themselves on August 9th and the dog must have chewed out the sutures. The laceration appears reddened and the dog appears unusually subdued. The licensee doesn’t have a protocol for treating lacerations in their PVC. Facilities must have direct and frequent communication with their veterinarian. The licensee must correct by contacting their AV.
Correct by 13 August 2026

2.40(b)(3)

Attending veterinarian and adequate veterinary care (dealers and exhibitors).

A 6-week-old male Yorkshire Terrier born to dam Julia (605-787-675) has a clouded right eye. The cloudy eye appeared raised. Eye issues can be painful and result in vision loss. The licensee was unaware of the issue and hadn’t contacted their AV. Daily observations are required for all animals to assess their health and well-being. The licensee must observe all animals daily and have the puppy seen by their AV.

Correct by August 13, 2026

3.6(a)(1)

Primary enclosures.

17 adult dogs are housed in primary enclosures where the exterior portion of the enclosures aren’t connected to the wall of the enclosure building. This leaves gaps ranging from 3”-4”. The gaps put the dogs at risk for entrapment, entanglement, and falling approximately five feet to the ground. Primary enclosures must be maintained in good repair.

Prepared By: SARAH ROLOFF — USDA, APHIS, Animal Care **Date:** 14-SEP-2026
Title: COMPLIANCE SPECIALIST

Received by Title: _____ **Date:** 14-SEP-2026

Inspection Report

The facility must repair the primary enclosure, so the exterior portion of the suspended enclosure is reconnected to the enclosure building.

The interior flooring of a primary enclosure housing two Yorkshire Terriers has disconnected from the building frame in the adult dog building. APHIS officials watched pinch point type gaps created as the flooring separated under the dog's weight. Primary enclosures must be maintained in good repair. The facility must repair the primary enclosure floor.
Correct by September 26, 2026

3.6(a)(2)

Primary enclosures.

Two primary enclosures housing 6 puppies and 5 puppies respectively have floors constructed in a manner that allowed their feet to become entrapped and their legs stuck. APHIS officials observed numerous puppies with their legs through the flooring at the time of inspection.

Numerous holes ranging from approximately 3" to 4" in diameter were seen in the flooring throughout multiple enclosures. Flooring must be constructed and maintained in a manner that protects the dogs' legs from injury and does not allow feet to pass through the flooring.

The licensee must construct and maintain primary enclosures and flooring to protect the dogs' legs from injury and prevent them from passing through the floor.
One primary enclosure housing two Dachshunds had sharp points from the broken enclosure wire. Sharp points can cause injury to dogs. Primary enclosures must be constructed and maintained so that they don't have any sharp points to protect the dogs from injury.

Correct by September 26, 2026

This inspection and exit interview were conducted with licensee.

Additional Inspectors:

Michael Tygart, VETERINARY MEDICAL OFFICER

Prepared By: SARAH ROLOFF
USDA, APHIS, Animal Care
Title: COMPLIANCE SPECIALIST

Date: 14-SEP-2026

Received by Title: _____

Date: 14-SEP-2026

United States Department of Agriculture
Animal and Plant Health Inspection Service

Customer: 503578
Inspection Date: 12-Aug-2026

Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
503578	73-A-2836	002	Lesli Mecom	12-AUG-2026

Count	Scientific Name	Common Name
000054	*Canis familiaris*	DOG ADULT
000026	*Canis familiaris*	DOG PUPPY
000080	**Total**	