



Inspection Report

Richard Whittenburg
P O Box 268
Gardendale, TX 79758

Customer ID: **3928**

Certificate: **74-A-1346**

Site: 002

RICHARD WHITTENBURG

Type: ROUTINE INSPECTION

Date: 25-FEB-2020

3.127(d)

FACILITIES, OUTDOOR.

There is no perimeter fence surrounding the outdoor enclosure for the tiger. A perimeter fence protects the tiger by restricting animals and unauthorized persons from going through it or under it and having contact with the tiger. Additionally, it functions as a secondary containment system in the event that the tiger escapes. A perimeter fence of sufficient structural strength must be constructed and it must be at least 8 feet in height, 3 feet from the primary enclosure wall, and restrict unauthorized persons and animals from going through it or under it.

TO BE CORRECTED BY MAY 1, 2020.

This inspection and exit interview were conducted with a facility representative.

Prepared By: PRICE KATIE, D V M USDA, APHIS, Animal Care

Date:
27-FEB-2020

Title: VETERINARY MEDICAL OFFICER 6139

Received by Title: SENT BY EMAIL

Date:
27-FEB-2020



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
3928	74-A-1346	002	RICHARD WHITTENBURG	25-FEB-20

Count	Scientific Name	Common Name
000001	<i>Panthera tigris</i>	TIGER
000001	Total	