United States Department of Agriculture
Animal and Plant Health Inspection Service

Inspection Report

Tropaquatics Inc.
4990 Paris Street
Denver, CO 80239

Customer ID: **326879**
Certificate: **84-B-0118**
Site: 001
Tropaquatics, Inc.

Type: ROUTINE INSPECTION
Date: 15-MAR-2016

3.125

FACILITIES, GENERAL.

3.125 (a) Inside the small mammal room the lower enclosure housing 1 male chinchilla has chewed plastic along the back. The chewed plastic has jagged rough edges which could potentially cause injuries, medical issues from ingesting the plastic and is not in good repair.

Maintain all housing facilities so that they are structurally sound and in good repair to protect the animals from injuries.

To be corrected by: Corrected during time of inspection

Inspection accompanied by a facility representative, AC Student Trainee and ACI Cindy Rhodes. An exit briefing was conducted with a facility representative.

Additional Inspectors

Mendez Leslie, Student Trainee

Prepared By: CINDY RHODES, A C I USDA, APHIS, Animal Care **Date:** 16-MAR-2016

Title: ANIMAL CARE INSPECTOR 5047

Received by Title: SENT BY EMAIL **Date:** 16-MAR-2016

United States Department of Agriculture
Animal and Plant Health Inspection Service

Customer: 326879
Inspection Date: 15-MAR-16

Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
326879	84-B-0118	001	Tropaquatics, Inc.	15-MAR-16

Count	Scientific Name	Common Name
000007	*Atelerix albiventris*	FOUR-TOED HEDGEHOG
000024	*Cavia porcellus*	DOMESTIC GUINEA PIG
000005	*Chinchilla lanigera*	CHINCHILLA
000019	*Cricetus cricetus*	EUROPEAN HAMSTER / BLACK-BELLIED HAMSTER
000023	*Gerbillus acticola*	BERBERA GERBIL
000002	*Phodopus roborovskis*	ROBOROVSKIS DWARF HAMSTER
000080	**Total**	