



Inspection Report

Kristina Brouner
2512 Cedar St
Everett, WA 98201

Customer ID: **327222**
Certificate: **91-A-0124**
Site: 001
Hedgehogs Northwest

Type: ROUTINE INSPECTION
Date: 11-APR-2023

3.131(c) Repeat

Sanitation.

Some cleaning and organization are needed on one side of the hedgehog room. The refrigerator must also be cleaned as spillage and debris are present. In addition, dust, debris and dead insects are present on top of the refrigerator and storage shelves, and along the window ledge.

Accumulations of clutter, debris and spillage contribute to odor and make it difficult to maintain pest control measures. The room must be kept clean to facilitate proper husbandry practices for the animals. The facility was most recently cited under this regulation on 9/27/2022.

This inspection and exit interview were conducted with the licensee.

Prepared By: DIANE FORBES
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL OFFICER

Date:
13-APR-2023

Received by Title: Licensee

Date:
13-APR-2023



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
327222	91-A-0124	001	Hedgehogs Northwest	11-APR-2023

Count	Scientific Name	Common Name
000024	<i>Atelerix albiventris</i>	FOUR-TOED HEDGEHOG (MOST COMMON PET HEDGEHOG)
000024	Total	