



## Inspection Report

Sue Ann Moore  
Timothy John Moore  
175 East Street  
Norco, CA 92860

Customer ID: **3384**  
Certificate: **93-B-0046**  
Site: 001  
TIMOTHY JOHN & SUE ANN MOORE

Type: ROUTINE INSPECTION  
Date: 01-JUL-2015

### 3.53(c)(2) REPEAT

#### PRIMARY ENCLOSURES.

Rabbits were in enclosures that did not meet minimum space requirements. A sample of rabbits was selected for weighing, focusing on those that visually appeared the largest. Licensee stated all enclosures were acquired before 1990.

-Two pigmented male rabbits were housed together, in an enclosure providing 420 sq inches. Each weighed between 6 and 8 pounds, requiring 288 sq inches per rabbit, for a total of 576 sq inches. Rabbits were separated during inspection.

-Two pigmented male rabbits individually housed on the rear wall were weighed at 9 lbs 10 oz each, in enclosures providing 420 sq inches. The required space is 540 square inches.

Eighteen (out of over five hundred total) enclosures housed multiple rabbits, ranging from 7 to 10 rabbits per cage. These enclosures provided 1260 sq inches of floorspace.

-Several of these enclosures were labeled as meat . Labeling enclosures as meat does not exempt them from meeting space requirements, if they are housed in the same area as rabbits destined for research.

-In two enclosures housing 7 rabbits, 5 were between 5 and 6 pounds, requiring 144 sq inches per rabbit, and two were over 6 pounds, requiring 288 sq inches per rabbit, for a total requirement of 1296 sq inches.

-Several enclosures housed 8 rabbits, with at least one rabbit over 6 pounds in each. In enclosures providing 1260 sq inches, all rabbits must be below 6 pounds to meet space requirements.

-Several enclosures housed 9 or 10 rabbits. Enclosures do not provide adequate space for 9 or more rabbits, when all rabbits are at least 5 pounds.

ORIGINAL CORRECTION DATE 4-26-14

Prepared By: KATHARINE FRANK, D V M USDA, APHIS, Animal Care

Date:  
08-JUL-2015

Title: VETERINARY MEDICAL OFFICER 6091

Received by Title: SENT BY EMAIL

Date:  
08-JUL-2015



## Inspection Report

---

### 3.56(c)

#### **SANITATION.**

Along the West wall of the housing facility for the rabbits, the baseboard/kickboard under the rabbit cages was damaged with the board being broken and layers of plywood separating in several places. There was an excessive buildup of hair and urine. The housing facilities shall be structurally sound and maintained in good repair.

Correction Date 6 August 2015

Inspection conducted by Dr. Katie Frank, VMO, and Jeanne Lorang, ACI.

Exit Interview conducted with facility personnel.

#### **Additional Inspectors**

Lorang Jeanne, Animal Care Inspector

---

**Prepared By:** KATHARINE FRANK, D V M      USDA, APHIS, Animal Care

**Date:**  
08-JUL-2015

**Title:** VETERINARY MEDICAL OFFICER 6091

**Received by Title:** SENT BY EMAIL

**Date:**  
08-JUL-2015



## Species Inspected

| Cust No | Cert No   | Site | Site Name                    | Inspection |
|---------|-----------|------|------------------------------|------------|
| 3384    | 93-B-0046 | 001  | TIMOTHY JOHN & SUE ANN MOORE | 01-JUL-15  |

| Count         | Scientific Name              | Common Name     |
|---------------|------------------------------|-----------------|
| 001950        | <i>Oryctolagus cuniculus</i> | EUROPEAN RABBIT |
| <b>001950</b> | <b>Total</b>                 |                 |