



Inspection Report

Aaron J Glick
25766 Hwy 81
Cuba City, WI 53807

Customer ID: **327740**
Certificate: **35-A-0340**
Site: 001
AARON GLICK

Type: ROUTINE INSPECTION
Date: 03-FEB-2014

2.40(b)(2) REPEAT

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

A written Program of Veterinary Care (PVC) could not be found during inspection. The attending veterinarian must be contacted to set up an appointment for a site visit and complete the PVC. One guinea pig was noted to have hair loss and scabs on her back in enclosure #12. Treatment for this guinea pig must be guided by the Attending Veterinarian. A current PVC signed by a licensed veterinarian must be available for inspection by APHIS officials.

3.26(b) REPEAT

FACILITIES, INDOOR.

Ventilation.

There was a strong ammonia odor in the building during inspection. By the end of the inspection I noted my throat felt irritated. The building must be provided with fresh air while maintaining a temperature between 60 and 85 degrees F. Cleaning enclosures more often can also help with the ammonia odor. To promote animal health, the ammonia odor must be decreased greatly.

3.28(a)(1)

PRIMARY ENCLOSURES.

(1) Primary enclosures shall be structurally sound and maintained in good repair...

At least 10 feeders were observed to be excessively rusted and/or have sharp edges on them. Sharp edges could injure guinea pigs. Feeders must be repaired or replaced and all surfaces in the enclosures must be free of sharp edges to prevent injury to the guinea pigs.

Correct by March 1, 2104.

Prepared By: SCOTT WELCH, D V M USDA, APHIS, Animal Care

Date:
03-FEB-2014

Title: VETERINARY MEDICAL OFFICER 6046

Received by Title: OWNER

Date:
03-FEB-2014



Inspection Report

3.31(b) REPEAT

SANITATION.

Housekeeping.

The ceiling and areas around gas heaters had an excessive amount of dust and cobwebs. This can create a fire hazard. To protect animal health, routinely clean the building from ceiling to the floor to prevent buildup of cobwebs and dust on the walls, heaters, and ceilings.

3.53(a)(1)

PRIMARY ENCLOSURES.

(1) Primary enclosures shall be structurally sound and maintained in good repair to protect the rabbits from injury...

A feeder in a rabbit's enclosure was noted to have a hole rusted through the top, exposing sharp edges. This could injure the rabbit. Replace or repair this feeder and any other rabbit feeders with sharp edges to protect rabbits from injury.

Correct by February 5, 2014.

3.56(a)(1) REPEAT

SANITATION.

Cleaning of primary enclosures.

In the corners of at least four rabbit pens there was an excess build-up of droppings and waste. Rabbit enclosures must be cleaned often enough to prevent a build-up of waste. Build-up of animal waste can cause animals to get sick and increase ammonia odors. Enclosures must be cleaned more often to promote the health of animals in the building.

Inspection and exit interview conducted with facility representative.

Prepared By: SCOTT WELCH, D V M USDA, APHIS, Animal Care

Date:
03-FEB-2014

Title: VETERINARY MEDICAL OFFICER 6046

Received by Title: OWNER

Date:
03-FEB-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
327740	35-A-0340	001	AARON GLICK	03-FEB-14

Count	Scientific Name	Common Name
001156	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000078	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
001234	Total	